



PRICE LIST 1 MAY 2026



Auth. Distributors
POLYCAB
IDEAS. CONNECTED.

PRABHAT CABLES PVT. LTD.

HEAD OFFICE : 33, Pathak Wadi, Ismail Building, 1st Floor, Lohar Chawl,
Mumbai - 400 002, Maharashtra, India.
Tel.: +91 22 4922 4200 / 2208 5153 • Email : prabhatcables@gmail.com
info@prabhatcables.com • Website : www.prabhatcables.com

BRANCHES :

RAIPUR

Ph No.101, 275/1-2, Sarora, Industrial Area Urla, Near
Shivam Engg., Sarora, Raipur, Chhattisgarh - 493221, INDIA
Tel. : +91 98261 99371 / 93005 65001
Email : cg@prabhatcables.com

HUBLI

98-B, Behind Krishna Spinner, J P Nagar, Beside HP Gas Agencies,
Gokul Road, Near Decathlon, HUBLI 580030, Karnataka, INDIA
Tel. : +91 86554 86242 / 86554 86246
Email : hubli@prabhatcables.com

ODISHA

Plot No 328/3675 Koradakanta, Puri Bypass Road,
Bhubaneswar - 751006, INDIA
Tel. : +91 96810 07838 / 86554 86253
Email : abani@prabhatcables.com, odisha@prabhatcables.com

BANGALORE

Karanja Chambers-2, No 16, 2nd Floor, 80 Feet Road,
Basaveshwara Nagar, Bangalore - 560079, INDIA
Tel. : +91 97390 02495
Email : bgr@prabhatcables.com

KALABURGI

Sy No. 51/1, Opposite Mahatma Gandhi, Truck Terminal,
Near Aland Check Post, Ring Road, Kalaburagi (Gulbarga)
Karnataka - 585103, INDIA • Tel. : +91 86554 86249 / 86554 86247
Email : klbg@prabhatcables.com

GUWAHATI

Anil Plaza, A-45, 1st Floor, Near IDBI Bank,
G. S. Road, Guwahati - 781005, INDIA
Tel. : +91 99541 99542
Email : assam@prabhatcables.com

POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-2010. (100 Mtrs. Coil Price)

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.50	16/0.2	05	1950	5040	7075	9190	11770	14020	15855	18550	22920	26850	31100	35800	41900	52700
0.75	24/0.2	08	2815	7180	9900	12965	16935	20220	23255	26725	33050	39200	45600	51900	61400	77100
1.00	32/0.2	13	3617	8975	12800	16710	22130	26375	30200	34700	43200	51100	58300	68100	80300	101000
1.50	30/0.25	17	5235	12565	17945	23760	31300	37100	42700	49000	61000	73400	84800	96700	114500	144700
2.50	50/0.25	24	8720	20200	28500	38700	50900	61000	70200	80600	100500	120100	139900	159500	189700	239300
4.00	56/0.3	30	13675	30135	44000	57800	82300	98600	119700	-----	-----	-----	-----	-----	-----	-----
6.00	84/0.3	38	20400	44700	65200	86100	121900	POLYCAB UNARMoured SCREENED CABLES								
10.00	80/0.4	52	34915	76600	112500	148300	210600	CORES	16/.20 MM. 24/.20 MM. 32/.20 MM. 48/.20 MM. 80/.20 MM.							
16.00	126/0.4	70	54900	117500	172100	227600	319100		0.5 Sq. Mm. 0.75 Sq. Mm. 1.0 Sq. Mm. 1.5 Sq. Mm. 2.5 Sq. Mm.							
25.00	196/0.4	88	89100	197200	288400	382400	507800	2	13800	16300	19200	24100	37800			
35.00	276/0.4	110	122100	274100	402300	533000	706900	3	16300	20400	24400	32000	49500			
50.00	396/0.4	145	174200	388900	573000	757700	1009100	4	19500	24700	30600	40100	63100			
70.00	354/0.5	215	244400	546000	797300	1057800	1403500	5	25000	30800	38400	50000	76400			
95.00	484/0.5	260	323100	Flexible copper WELDING CABLES				6	28400	35800	45000	57800	89500			
120.00	608/0.5	305	417300	Conductor Area SQ. MM.	(AMP)	Rate Per Meter	7	30600	39500	48900	65300	103900				
150.00	750/0.5	355	522400				16.00	120	672.00	8	33600	44200	55100	74000	120300	
185.00	925/0.5	415	647200	25.00	160	1029.00	10	40000	53100	66100	89800	134400				
240.00	1210/0.5	500	839100	35.00	230	1444.00	12	45900	62600	78400	107900	171800				
300.00	1527/0.5	585	1049500	50.00	400	2041.00	14	54200	73100	90900	123100	189300				
400.00	2036/0.5	695	1382900	70.00	600	2882.00	16	59200	80100	102300	139000	222700				
				95.00	700	3802.00	19	67900	92300	120400	161500	287500				
							24	84500	113200	146200	202700	360500				

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.

POLYCAB FRLS INSULATED SINGLE CORE

Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.

POLYCAB PVC INSULATED & FRLS MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:2010.

RATE PER 100 METERS

SIZE SQ. MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE
0.5	16/2	5	1987	5380	7355	9475
0.75	24/2	8	2867	7465	10165	13290
1	32/2	13	3690	9245	13110	16975
1.5	30/.25	17	5305	12880	18225	24115
2.5	50/.25	24	8875	20460	28900	39200
4	56/3	30	13970	30725	44800	58600
6	84/3	38	20580	45300	66000	87000
10	80/4	52	35325	77900	113700	149700
16	126/4	70	54900	117500	172100	227600
25	196/4	88	89100	197200	288400	382400
35	276/4	110	122100	274100	402300	533000
50	396/4	145	174200	388900	573000	757700
70	354/5	215	244400	546000	797300	1057800
95	484/5	260	323100	-----	1087800	1439800
120	608/5	305	417300	-----	1384100	1833400
150	750/5	355	522400	-----	1752300	2315700
185	925/5	415	647200	-----	2114600	2795700
240	1210/5	500	839100	-----	2818600	3701400
300	1527/5	585	1049500	-----	3374500	4638300
400	2036/5	695	1382900	-----	4499300	6184700

POLYCAB INDUSTRIAL CABLES (MULTISTRAND)

CONDUCTOR AREA SQ. MM.	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil
0.75	-----	8830	-----	9000	-----	9875
1.00	-----	11420	-----	11630	-----	12495
1.50	-----	16735	-----	17065	-----	18190
2.50	-----	27780	-----	28245	-----	30230
4.00	28670	-----	28985	-----	30840	-----
6.00	42925	-----	43455	-----	46155	-----
10.00	73850	-----	74625	-----	79325	-----
16.00	116205	-----	117360	-----	124835	-----

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	8860	11430	13715	18000	28300
3	11145	14860	18575	24860	39725
4	13715	18285	23430	32300	51400
6	19150	26300	33700	46300	75200
8	24600	34000	43400	61400	100600

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes.
(2) Subject to change without prior notice.
(3) This cancels all our previous price-lists.

POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES					
No. of Pair & Size	Rate Per 90 Meter Coil		Rate Per Meter	JELLYFILLED CABLES As per DOT Specification	
	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.		
1 Pair	1010.00	1390.00	-----	Unarmoured 0.5 MM.	Armoured 0.5 MM.
2 Pair	1725.00	2635.00	-----	-----	-----
3 Pair	2510.00	3760.00	-----	-----	-----
4 Pair	3375.00	4990.00	-----	-----	-----
5 Pair	4395.00	6235.00	179.00	156.00	205.00
10 Pair	-----	12465.00	342.00	243.00	314.00
RATE PER METER					
20 Pair	-----	271.10	543.00	-----	568.00
50 Pair	-----	712.00	-----	-----	1256.00
100 Pair	-----	1424.00	-----	-----	2397.00

3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS			
SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.
1.50	12835	16.00	122100
2.50	20780	25.00	199600
4.00	32165	35.00	279500
6.00	47070	50.00	-----
10.00	82300		

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)				(Rate per 90 Meters)				CCTV CABLES (Rate Per 90 Mtrs. Coil)	
SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
23/36	2490.00	23/38	1645.00	0.50 Sq. mm.	3000.00	1.5 Sq. mm.	8300.00	3 + 1	4590.00
40/36	3975.00	40/38	2775.00	0.75 Sq. mm.	4415.00	2.0 Sq. mm.	11895.00	4 + 1	5300.00
70/36	5910.00	70/38	4330.00	1.00 Sq. mm.	5830.00	2.5 Sq. mm.	13775.00		

CO-AXIAL CABLES • (RATE PER COIL)			
ITEM	UNARMoured (100 MTRS.)	UNARMoured (305 MTRS.)	ARMoured. (1000 MTRS.)
RG-59	3900	11895	
RG-06	3985	12155	95000
RG-11	9415	28715	173250
RG-06 CCS	2705	8250	
RG-11 CCS	5300	16165	

LAN COMPUTER CABLES	
ITEM 4 PAIR	UTP UNARMoured (RATE PER COIL OF 305 MTR.)
	CAT-6

XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988

COPPER ARMoured CABLES • 2XWY/2XFY

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE
2	251.00	353.00	4	487.00	675.00	878.00
3	319.00	469.00	6	693.00	978.00	1271.00
4	401.00	605.00	10	1096.00	1561.00	2066.00
5	510.00	751.00	16	1550.00	2319.00	3047.00
6	616.00	881.00	CROSS SECTION IN SQ. MM.	3 CORE	3.5 CORE	4 CORE
7	641.00	1024.00				
8	729.00	1181.00				
10	913.00	1403.00				
12	1027.00	1661.00				
14	1179.00	1947.00				
16	1348.00	2201.00				
19	1598.00	2586.00				
24	1999.00	3258.00				
27	2266.00	3712.00				
30	2526.00	4464.00				
37	3277.00	5214.00				
44	3827.00	6090.00				
61	5635.00	8829.00	25	3624.00	4397.00	4821.00
			35	5229.00	5987.00	6918.00
			50	7054.00	8306.00	9428.00
			70	10230.00	11944.00	13700.00
			95	14325.00	16596.00	18926.00
			120	17666.00	21050.00	23556.00
			150	21742.00	25186.00	29151.00
			185	27537.00	32190.00	36470.00
			240	35916.00	41488.00	47684.00
			300	45875.00	52462.00	60514.00
			400	59329.00	66416.00	82647.00

H. T. XLPE ARMoured ALUMINIUM CABLES RATE PER METER

Cond. Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3 x 35	1778.00	-----	-----
3 x 50	2141.00	-----	-----
3 x 70	2600.00	-----	-----
3 x 95	3104.00	4000.00	5112.00
3 x 120	3643.00	4460.00	5733.00
3 x 150	4261.00	5351.00	6675.00
3 x 185	4997.00	5892.00	7352.00
3 x 240	6355.00	7047.00	8463.00
3 x 300	7220.00	8390.00	9678.00
3 x 400	9199.00	10303.00	11592.00

XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988

ALUMINIUM ARMoured CABLES • A2XWY/A2XFY

Cross Section in SQ. MM.	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	219.00	237.00	-----	261.00
4	-----	237.00	279.00	-----	310.00
6	-----	297.00	347.00	-----	388.00
10	-----	344.00	410.00	-----	537.00
16	238.00	398.00	455.00	-----	582.00
25	296.00	411.00	547.00	642.00	690.00
35	370.00	526.00	749.00	829.00	944.00
50	471.00	711.00	969.00	1105.00	1244.00
70	598.00	906.00	1300.00	1506.00	1687.00
95	731.00	1171.00	1673.00	1907.00	2225.00
120	876.00	1443.00	2047.00	2390.00	2722.00
150	1043.00	1766.00	2536.00	2788.00	3289.00
185	1265.00	2156.00	3137.00	3527.00	4144.00
240	1572.00	2727.00	4058.00	4496.00	5359.00
300	1911.00	3355.00	5018.00	5576.00	6624.00
400	2467.00	4397.00	6369.00	7075.00	8517.00

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMoured INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	143	0.75	165	1	186	1.5	223	2.5	343
PAIR	2	0.5	217	0.75	278	1	314	1.5	408	2.5	617
PAIR	3	0.5	268	0.75	354	1	423	1.5	543	2.5	848
PAIR	4	0.5	325	0.75	443	1	532	1.5	688	2.5	1085
PAIR	5	0.5	397	0.75	548	1	648	1.5	828	2.5	1324
PAIR	6	0.5	457	0.75	631	1	762	1.5	1000	2.5	1690
PAIR	8	0.5	586	0.75	809	1	971	1.5	1271	2.5	2014
PAIR	10	0.5	740	0.75	975	1	1224	1.5	1666	2.5	2555
PAIR	12	0.5	796	0.75	1131	1	1334	1.5	1834	2.5	3076
PAIR	16	0.5	1052	0.75	1409	1	1826	1.5	2517	2.5	3939
PAIR	19	0.5	1197	0.75	1667	1	2125	1.5	2941	2.5	4616
PAIR	24	0.5	1494	0.75	2147	1	2799	1.5	3579	2.5	5527
TRAID	1	0.5	177	0.75	217	1	246	1.5	334	2.5	457

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.